Form PTO - 1449 (Modified)

A2

A3

6,225,328

6,358,515

FORM PIO-14 (Modified)		S. DEPARIMENT OF CO ATENT AND TRADEMA		ATTY. DOCKET NO. SERI 7000US02 10/6 APPLICANT(S) Altenbach, et al.				
		IFORMATION DISCLOS FATEMENT BY APPLICA						
	(1	Use several sheets if necess	October 2	-		1614		
(37 CFR 1.98 (b))		October	22, 2005	101	1017		
			U.S.PATEN	Γ DOCUMENTS	 S			
EXAMINER INITIAL		PATENT NUMBER	INVENTOR	NVENTOR CLASS		FILING DATE		
A1 3,639,476 02/01/1972 E				Eberle, et al.	260	563	11/29/1967	

05/01/2001

ECDEICN DATENT	UD DIIDI ICHED EU	DEICN DATENT	ADDI ICATION

03/19/2002 Ogata, et al.

Bernardon

514

424

356

401

04/23/1999

07/30/1999

	THE SAME TO WIND WATER TO AND THE SAME TO THE TRAIN						
		DOCUMENT NUMBER	PUBLIC-ATION DATE	PATENT OFFICE	CLASS	CLASS	TRANS- LATION YES NO
तंत	ВТ	1,178,400	21.01.1970	GB	J.		
(T)	B2	00/06254	10.02.2000	wo			
7	В3	00/27815	18.05.2000	WO			
717	B4	03/093237	13.11.2003	wo			
The state of the s	B5	94/17079	04.08.1994	wo		5	
73	В6	95/01426	12.01.1995	WO			
<u>a</u>	В7	95/09159	06.04.1995	wo		-	
Ta	B8	98/38156	03.09.1998	wo		_	
G	В9	98/57931	23.12.1998	wo			

OTHER DOCUMENTS (Including Author, Title, Date, Place of Publication)

35	CI	Airaksinen et al., "Histamine Neurons in Human Hypothalamus: Anatomy in Normal and Alzeimer Diseased Brains," Neuroscience 44(2):465-481 (1991)
	C2	Andrés et al., "A Simple Steroselective Synthesis Of Enantiopure 2-Substituted Pyrrolidines and Piperidines From Chiral (R)-Phenylglycinol-Derived Bicyclic 1,3-Oxazolidines," Eur. J. Org. Chem. 1719-1726 (2000)
	C2	Aranyos et al.,"Novel Electron-Rich Bulky Phosphine Ligands Facilitate the Palladium-Catalyzed Preparation of Diaryl Ethers," J. Am Chem. Soc. 121:4369-4378 (1999)
	C4	Baston et al., "A New Route To 6-Aryl-Substituted 3,4-Dihydronaphthalene Derivates Via Pd (O)-Catalyzed Cross-Coupling Reaction of Aryl Zinc Chlorides With an Aryl Triflate," Synthetic Communication 28(14):2725-2729 (1998)
	C5	Bjenning et al., "Peripherally Administered Ciproxifan Elevates Hypothalamic Histamine Levels And Potently Reduces Food Intake in the Sprague Dawley Rat," Histamine Research In The New Mellennium, Proceedings Of The International Sendai Histamine Symposium Held In Sendai, Japan, 22-25 November 2000, p. 449-450
T)	C6	Dai et al., "The First General Method For Palladium-Catalyzed Negishi Cross-Coupling Of Aryl And Vinyl Chlorides: Use of Commercially Available Pd(P(t-Bu) ₃) ₂ as a Catalyst," J. Am. Chem Soc. 123:2719-2724 (2001)

757	_ C7	De Almeida et al., "Memory Facilitation by Histamine," Arch. Int. Pharmacodyn., 283:193-198 (1986).
	C8	Delaunois et al., "Modulation Of Acetylcholine, Capsaicin and Substance P Effects by Histamine
1		H ₃ Receptors in Isolated Perfused Rabbit Lungs," European Journal Of Pharmacology, 277:243-250 (1995).
_	C9	Dimitriadou et al., "Functional Relationship Between Mast Cells and C-Sensitive Nerve Fibres
		Evidenced by Histamine H ₃ -Receptor Modulation in Rat Lung and Spleen," Clinical Science, 87:151-163 (1994).
	C10	Dohle et al., "Copper-Mediated Cross-Coupling of Functionalized Arylmagnesium Reagents with Functionalized Alkyl and Benzylic Halides," Organic Letters 3(18):2871-2873 (2001)
	CH	Duméry et al., "Development of Amygdaloid Cholinergic Mediation of Passive Avoidance Learning in the Rat," Exp. Brain. Res., 67:61-69 (1987).
	C12	Ellingboe et al., "Antihyperglycemic Activity of Novel Naphthalenyl 3H-1,2,3,5- Oxathiadiazole 2-Oxides," J. Med. Chem. 36:2485-2493 (1993)
	C13	Elworthy et al., "The Configurational Stability of Chiral Lithio α-Amino Carbanions. The Effect of Li-O vs. Li-N Complexation," Tetrahedron 50(20):6089-6096 (1994)
	C14	Fitzsimons et al., "Histamine Receptors Signalling in Epidermal Tumor Cell Lines With H-ras Gene Alterations," Inflamm. Res., 47, Supplement 1, S50-S51 (1998).
	C15	Fox et al., "Effects of Histamine H ₃ Receptor Ligands GT-2331 And Ciproxifan in a Repeated Acquisition Response in the Spontaneously Hypertensive Rat Pup," Behavioural Brain Research 131:151-161 (2002)
	C16	Gaffield et al., "Chiroptical Properties of N-Nitrosopyrrolidines and N-Nitrosamino Acids," Tetrahedron 37:1861-1869 (1981)
	C17	Haas et al., Subcortical Modulation of Synaptic Plasticity in the Hippocampus," Behavioural Brain Research, 66:41-44 (1995).
	C18	Hartwig, "Transition Metal Catalyzed Synthesis of Arylamines and Aryl Ethers From Aryl Halides and Triflates: Scope And Mechanism," Angew. Chem. Int. Ed. 37:2046-2067 (1998)
	C19	Hatta et al., "Activation of Histamine H ₃ Receptors Inhibits Carrier-Mediated Norepinephrine Release in a Human Model of Protracted Myocardial Ischemia 1, 2," The Journal Of Pharmacology And Experimental Therapeutics, 283(2):494-500 (1997).
	C20	Imamura et al., "Activation Of Histamine H3-Receptors Inhibits Carrier-Mediated Norepinephrine Release During Protracted Myocardial Ischemia," Circulation Research, 78(3):475-481 (1996).
	C21	Imamura et al., "Histamine H3-Receptor-Mediated Inhibition Of Calcitonin Gene-Related Peptide Release From Cardiac C Fibers," Circulation Research, 78(5):863-869 (1996).
	C22	Itoh et al., "Thioperamide, A Histamine H ₃ Receptor Antagonist, Powerfully Suppresses Peptide YY-Induced Food Intake In Rats," Biol. Psychiatry 45:475-481 (1999)
	C23	Kamei et al., "Influence Of Certain H ₁ -Blockers On The Step-Through Active Avoidance Response In Rats," Psychopharmacology, 102:312-318 (1990).
	C24	Kamei et al., "Participation Of Histamine In The Step-Through Active Avoidance Response And Its Inhibition By H ₁ -Blockers," Japan J. Pharmacol., 57:473-482 (1991).
	C25	Karrer et al., "Helvetica Chimica Acta. 34(270):2202-2210 (1951)
·	C26	Kiyomori et al., "An Efficient Copper-Catalyzed Coupling Of Aryl Halides With Imidazoles," Tetrahedron Letters 40:2657-2660 (1999)
. \	C27	Klapars et al., "A General And Efficient Copper Catalyst For The Amidation of Aryl Halides And The N-Arylation Of Nitrogen Heterocycles," J. Am. Chem. Soc. 123:7727-7729 (2001)
	C28	Kwong et al., "Copper-Catalyzed Coupling Of Alkylamines And Aryl Iodides: An Efficient System Even In An Air Atmosphere," Organic Letters 4(4):581-584 (2002)
	C29	Leurs et al., "The Histamine H ₃ -Receptor: A Target For Developing New Drugs," Progress In Drug Research, 39:127-165 (1992).
	C30	Leurs et al., "The Medicinal Chemistry And Therapeutic Potentials Of Ligands Of The Histamine H ₃ Receptor," Progress In Drug Research, 45:107-165 (1995).
	C31	Leurs et al., "Therapeutic Potential Of Histamine H ₃ Receptor Agonists And Antagonists," Trends In Pharm. Sci, 19:177-183 (1998).
M	C32	Levi et al., "Histamine H ₃ -Receptors: A New Frontier In Myocardial Ischemia," The Journal Of Pharmacology And Experimental Therapeutics, 292(3):825-830 (2000).

,

10	C33	Li et al., "Highly Active, Air-Stable Versatile Palladium Catalysts For The C-C, C-N, And C-S Bond Formations Via Cross-Coupling Reactions Of Aryl Chlorides," J. Org.
<u> </u>	C34	Chem. 66:8677-8681 (2001) Li et al., "The First Phosphine Oxide Ligand Precursors For Transition Metal Catalyzed Cross-Coupling Reactions: C-C, C-N, And C-S Bond Formation On Unactivated Aryl
ļ		Chlorides," Angew. Chem. Int. Ed. 40(8):1513-1516 (2001)
	C35	Lin et al., "Involvement Of Histaminergic Neurons In Arousal Mechanisms Demonstrated With H3-Receptor Ligands In The Cat," Brain Research, 523:325-330 (1990).
T.	C36	Lipshutz et al., "Efficient Scavenging Of Ph ₃ P And Ph ₃ P=O With High-Loading Merrifield Resin," Organic Letters 3(12):1869-1871 (2001)
	C37	Lipshutz et al., "Substitution Reactions Of Aryl Chlorides With Organozinc Reagents Catalyzed By Ni(0)," Tetrahedron Letters 40:197-200 (1999)
	C38	Littke et al., "Versatile Catalysts For The Suzuki Cross-Coupling Of Arylboronic Acids With Aryl And Vinyl Halides And Triflates Under Mild Conditions," J. Am. Chem. Soc. 122:4020-4028 (2000)
	C39	Marcoux et al., "A General Copper-Catalyzed Synthesis Of Diaryl Ethers," J. Am. Chem. Soc. 119:10539-10540 (1997)
	C40	Matsubara et al., "UK-14,304, R(-) ∀-Methyl-Histamine And SMS 201-995 Block Plasma Protein Leakage Within Dura Mater By Prejunctional Mechanisms," European Journal Of Pharmacology, 224:145-150 (1992).
	C41	Mazurkiewicz-Kwilecki et al., "Changes In The Regional Brain Histamine And Histidine Levels In Postmortem Brains Of Alzheimer Patients," Can. J. Physiol. Pharmacol, 67: 75-78 (1989).
	C42	McLeod et al., "Histamine H ₃ Antagonists," Progress In Resp. Research 31:133-134 (2001)
	C43	Miyaura et al., "Palladium-Catalyzed Cross-Coupling Reactions Of Organoboron Compounds," Chem. Rev. 95:2457-2483 (1995)
	C44	Mohanakrishnan et al., "Pd(0)-Mediated Cross Coupling Of 2-Iodoestradiol With Organozinc Bromides: A General Route To The Synthesis Of 2-Alkynyl, 2-Alkenyl And 2-Alkylestradiol Analogs," Synlett. 7:1097-1099 (1999)
	C45	Molander et al., "Cross-Coupling Reactions Of Primary Alkylboronic Acids With Aryl Triflates And Aryl Halides," Tetrahedron 58:1465-1470 (2002)
	C46	Monti et al., "Effects Of Selective Activation Or Blockade Of The Histamine H ₃ Receptor On Sleep And Wakefulness," European Journal Of Pharmacology, 205:283-287 (1991).
	C47	Monti et al., "Sleep And Waking During Acute Histamine H ₃ Agonist BP2.94 Or H ₃ Antagonist Carboperamide (MR 16155) Administration In Rats," Neuropsychopharmacology, 15(1):31-35 (1996).
	C48	Murakami et al., "AQ-0145, A Newly Developed Histamine H ₃ Antagonist, Decreased Seizure Susceptibility Of Electrically Induced Convulsions In Mice," Meth. Find. Exp.
_	C49	Clin. Pharmacol. 17(C):70-73 (1995) Nijhuis et al., "Stereochemical Aspects Of The "Tert-Amino Effect." 2. Enantio- And Diastereoselectivity In The Synthesis Of Quinolines, Pyrrolo[1,2-a]Quinolines, And
+	C50	[1,4]Oxazino[4,3-a]Quinolines," J. Org. Chem. 54:209-216 (1989) Onodera et al., "Neuropharmacology Of The Histaminergic Neuron System In The Brain And Its
+	C51	Relationship With Behavioral Disorders," Progress In Neurobiology, 42:685-702 (1994). Palomo et al., "Phosphazene Bases For The Preparation Of Biaryl Thioethers From Aryl
1	C52	lodides And Arenethiols, "Tetrahedron Letters 41:1283-1286 (2000) Palucki et al., "Palladium-Catalyzed Intermolecular Carbon-Oxygen Bond Formation: A
1_	- }	New Synthesis Of Aryl Ethers," J. Am. Chem. Soc. 119:3395-3396 (1997)
	C53	Pan et al., "Histaminergic Ligands Attenuate Barrel Rotation in Rats Following Unilateral Labyrinthectomy," Meth. Find Exp. Clin. Pharmacol 20(9):771-777 (1998)
	C54	Panula et al., "Brain Histamine In Pathophysiological Conditions And Brain Diseases," The Histamine H ₃ Receptor, 243-253 (1998)
	C55	Perez-Garcia et al., "Effects Of Histamine H ₃ Receptor Ligands In Experimental Models Of Anxiety And Depression," Psychopharmacology 142:215-220 (1999)
	C56	Phillips et al., "Recent Advances In Histamine H ₃ Receptor Agents," Annual Reports In Medicinal Chemistry, 33:31-40 (1998).
11	C57	Rouleau, "Bioavailability, Antinociceptive And Antiiflammatory Properties Of BP 2-94, A Histamine H ₃ Receptor Agonist Prodrug," The Journal Of Pharmacology And Experimental Therapeutics, 281(3):1085-1094 (1997).

T.	C58	Sakai et al., "Effects Of Thioperamide, A Histamine H ₃ Receptor Antagonist, On Locomotor Activity And Brain Histamine Content In Mast Cell-Deficient W/W Mice," Life Sciences, 48:2397-2404 (1991).
<u></u>	C59	Schopfer et al., "A General Palladium-Catalysed Synthesis Of Aromatic And Heteroaromatic Thioethers," Tetrahedron 57:3069-3073 (2001)
	C60	Schwartz et al., "Histaminergic Transmission in the Mammalian Brain," Physiological Reviews 71(1):1-51 (1991)
	C61	Schwartz et al., "Histamine," Psychopharmacology: The Fourth Generation Of Progress, 397-405 (1995).
	C62	Shaywitz et al., "Dopaminergic But Not Noradrenergic Mediation Of Hyperactivity And Performance Deficits In The Developing Rat Pup," Psychopharmacology, 82:73-77 (1984).
	C63	Sugahara et al., "A Facile Copper-Catalyzed Ullmann Condensation: N-Arylation Of Heterocyclic Compounds Containing an -NHCO- Moiety," Chem. Pharm. Bull. 45(4):719-721 (1997)
	C64	Suzuki, "Recent Advances In The Cross-Coupling Reactions Of Organoboron Derivates With Organic Electrophiles, 1995-1998," Journal Of Organometallic Chemistry 576:147-168 (1999)
	C65	Szelag, "Role Of Histamine H ₃ -Receptors In The Proliferation Of Neoplastic Cells In Vitro," Med. Sci. Monit., 4(5):747-755 (1998).
	C66	Tedford et al., "Cognition And Locomotor Activity In The Developing Rat: Comparisons Of Histamine H ₃ Receptor Antagonists And ADHD Therapeutics," Society For Neuroscience Abstr., 22:22 (1996).
	C67	Tedford et al., "Pharmacological Characterization Of GT-2016, A Non-Thiourea-Containing Histamine H ₃ Receptor Antagonist: <i>In Vitro</i> And <i>In Vivo</i> Studies," The Journal Of Pharmacology And Experimental Therapeutics, 275(2):598-604 (1995).
	C68	Tedford, "Clinical Application Of HA H ₃ Receptor Antagonists In Learning And Memory Disorders," The Histamine H ₃ Receptor 269-286 (1998)
	C69	Toshimitsu et al., "Preparation, Structure, And Reactivity Of Pentacoordinate Disilanes Bearing An 8-Charcogeno-1-Naphthyl Group And A Heteroatom On The Same Silicon Atom," Heteroatom Chemistry 12(5):392-397 (2001)
	C70	Wada et al., "Is The Histaminergic Neuron System A Regulatory Center For Whole-Brain Activity?, "Trends In Neurosciences, 14(9):415-418 (1991).
	C71	Wolfe et al., "Rational Development Of Practical Catalysts For Aromatic Carbon- Nitrogen Bond Formation," Acc. Chem. Res. 37:805-818 (1998)
	C72	Wolfe et al., "Simple, Efficient Catalyst System For The Palladium-Catalyzed Amination Of Aryl Chlorides, Bromides, And Triflates," J. Org. Chem. 65:1158-1174 (2000)
	C73	Yamada et al., "A Biogenetic-Type Asymmetric Cyclization Syntheses Of Optically Active α-Cyclocitral And <u>Trans</u> -α-Damascone," Tetrahedron Letters 5:381-384 (1973)
	C74	Yamamoto et al., "Ullmann Condensation Using Copper Or Copper Oxide As The Reactant. Arylation Of Active Hydrogen Compound (Imides, Amides, Amines, Phenol, Benzoic Acid, And Phenylacetylene)," Can. J. Chem. 61:86-91 (1983)
	C75	Yang et al., "Palladium-Catalyzed Animation Of Aryl Halides And Sulfonates," Journal Of Organometallic Chemistry 576:125-146 (1999)
	C76	Yates et al., "Effects Of A Novel Histamine H ₃ Receptor Antagonist, GT-2394, On Food Intake And Weight Gain In Sprague-Dawley Rats," Abstracts, Society For Neuroscience, 102.10:219 (November 2000)
	C77	Yokoyama et al., "Effect Of Thioperamide, A Histamine H ₃ Receptor Antagonist, On Electrically Induced Convulsions In Mice," Journal Of Pharmacology, 234:129-133 (1993).
	C78	Yokoyama et al., "Histamine And Seizures Implications For The Treatment Of Epilepsy," CNS Drugs, 5(5):321-330 (1996).
Ü	C79	Zou et al., "Ag(1)-Promoted Suzuki-Miyaura Cross-Couplings Of N-Alkylboronic Acids," Tetrahedron Letters 42:7213-7215 (2001)
EXAMINE	ER	DATE CONSIDERED
EXAMINE	R: Ini	tral citation considered. Draw line through citation in conformance and

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

(Form PTO 1449)



DATE: May 21, 2004 SHEET _1_ of _1_

Form PTO - 1449 (Modified)

FORM PTO-14 (Modified)		S. DEPARTMENT OF CONTENT AND TRADEMA			ATTY. DOCI	KET NO.		SERIA	L NO.
,					7000US02			10/68	9,735
INFORMATION DISCLOSURE					APPLICANT(S)				
	ST	ATEMENT BY APPLIC	CANT		Altenbach	` '		_	
					FILING DATE GROUP			P	
	•	Jse several sheets if neces	sary)		October 22, 2003			1614	
(37 CFR 1.98 (I	b))								
			U.S.PATENT	r DOC	CUMENTS				
EXAMINER			ISSUE					JB	FILING
INITIAL		PATENT NUMBER	DATE		VENTOR	CLASS	CL	ASS	DATE
JJ	A1	1,860,286	05/24/1932	Hartn	nan et al.			<u>~</u>	
J.7	A2	3,489,756	01/13/1970	Bolho	ofer et al.	260	247.	7	
	FOR	TION DAMENTO	D DYMY YOUY	- FO	DDIGN D				
- , -	FOR	EIGN PATENT O							
		DOCUMENT NUMBER	PUBLIC-ATION DATE		OUNTRY OR TENT OFFIC		ASS	SUB CLASS	TRANS- LATION
		NOMBER		''	TENT OF THE			CLASS	YES NO
TT	B1	02/074758	26.09.2002	W)		\dashv		1 1
\Ti	B2	149 007	02.11.1931	СН	<u> </u>		\dashv	5	
T	B3	1 122 756	07.08.1968	GB	-				
	B4_	556 324	10:08:1932	DE					
	L	<u> </u>							
		OTHER DOCUM							
त्र	C1	Bachman et al., "Q							
<u> </u>		of Organic Chemis							
⊤ سہ	C2	Coutts et al., "Calr							
<u> </u>		Science, Elsevier A							
	C3	Vernsten et al., "H				e Ethers,	" Jou	rnal of	the
\cup ()		American Chemica							
	C4 Wear et al., "The Synthesis of Some Qu			inoxaline Derivatives," Journal of the					
<u> </u>		American Chemica	al Society 72:2	893 - 28	194 (1950)				
							_		
EXAMINER				DA	TE CONSID	ERED,	lus		
EXAMINER:		itation considered. Draw	line through citat	ion if no	t in conforman	ce and	<u>- 1 - </u>	_	

(Form PTO 1449)